Page 1 of 12

FORM PTO - 1449

SUPPLEMENTAL THORMATION DISCLOSURE

MAR 0 2 2006

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

ATTORNEY DOCKET NO.: LEX-023

CONF. NO.: 6855

FILING DATE: December 16, 2003 GROUP: 1647

SEXAM.		Change Aller	DATE	NAME	CLASS	SUB	FILING DATE
INIT.		NT NUMBER	DAIL	NAME	CLASS	CLASS	IF APPROPRIATE
	A114	4,522,811	6/1/85	Eppstein et al.			<u> </u>
	A115	4,667,016	5/19/87	Lai et al.			
	A116	4,732,683	3/22/88	Georgiades et al.			
	A117	4,737,462	4/12/88	Mark et al.			
	A118	4,975,369	12/4/90	Beavers et al.			
	A119	5,082,658	1/21/92	Palladino			
	A120	5,091,513	2/25/92	Huston et al.			
	A121	5,399,346	3/21/95	Anderson et al.			
	A122	5,428,130	6/27/95	Capon et al.			
	A123	5,480,981	1/2/96	Goodwin et al.			
· · · · · ·	A124	5,589,466	12/31/96	Felgner et al.			
	A125	5,614,184	3/25/97	Sytkowski et al.			
	A126	5,712,120	1/27/98	Rodriguez et al.			
	A127	5,738,852	4/14/98	Robinson et al.			
	A128	5,795,779	8/18/98	McCormick			
	A129	5,827,703	10/27/98	Debs et al.			
-	A130	5,837,821	11/17/98	Wu et al.			
	A131	6,281,010	8/28/01	Gao et al.			
	A132	6,291,158	9/18/01	Winter et al.			
	A133	6,627,615	9/30/03	Debs et al.			

COPY

Express Mail EV668186211US Mailing Label No.

EXAMINER	DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855

							_		
			FOR	EIGN PATEN	T DOCUM	ENTS			
EXAM INIT.		DOCUMENT NUMBER	DATE	COUNTR Y CODE	CLASS	SUB CLAS S	FILING DATE	ABSTRAC T ONLY	ENGLISH LANG (Y/N)
	B108	0 428 267 B1	12/11/96	EP					Y
	B109	0 428 596 B1	4/17/96	EP					Y
	B110	0 433 827 B1	3/4/98	EP					Y
 	B111	0 519 596 A1	12/23/92	EP					Y
	B112	0 668 351 B1	9/22/99	EP					Y
	B113	0 699 755 A2	3/6/96	EP		_			Y
	B114	2 188 638	10/7/87	GB					Y
	B115	WO 92/10755	6/25/92	PCT					Y
	B116	WO 94/25609	11/10/94	PCT					Y
	B117	WO 96/40792	12/19/96	PCT					Y
	B118	WO 00/01822	1/13/00	РСТ					Y
-	B119	WO 02/074783	9/26/02	PCT ·					Y



EXAMINER	DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855



		FILING DATE: December 16, 2003 GROUP: 1647
EXAM. INIT.	OTHER	DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)
	C262	Aichele et al., (1994), "Peptide-Induced T-Cell Tolerance to Prevent Autoimmune Diabetes in a Transgenic Mouse Model," Proc. Natl. Acad. Sci. USA, 91:444-448.
	C263	Altschul et al., (1990), "Basic Local Alignment Search Tool," J. Mol. Biol., 215:403-10.
	C264	Altschul et al., (1997), "Gapped BLAST and PSI-BLAST: A New Generation of Protein Database Search Programs," Nucleic Acids Res., 25(17):3389-3402.
	C265	Anderson et al., (1980), "Characterization of the Fc Receptor for IgG on a Human Macrophage Cell Line U937," J. Immunol., 125(6):2735-41.
	C266	Anderson <i>et al.</i> , (1994), "Effects of Route and Formulation on Clinical Pharmacokinetics of Interleukin-2," Clin. Pharmacokinet., 27(1):19-31.
	C267	Baici et al., (1980), "Kinetics of the Different Susceptibilities of the Four Human Immunoglobulin G Subclasses to Proteolysis by Human Lysosomal Elastase," Scand. J. Immunol. 12(1):41-50.
	C268	Barbulescu <i>et al.</i> , (1998), "IL-12 and IL-18 Differentially Regulate the Transcriptional Activity of the Human IFN-γ Promoter in Primary CD4+ T Lymphocytes," <u>J. Immunol.</u> , 160:3642-7.
	C269	Bednarek et al., (1991), "Soluble HLA-A2.1 Restricted Peptides that are Recognized by Influenza Virus Specific Cytotoxic T Lymphocytes," J. Immunol. Methods, 139:41-47.
	C270	Benacerraf et al., (1959), "The Clearance of Antigen Antibody Complexes from the Blood by the Reticulo-Endothelial System," J. Immunol., 82:131-7.
	C271	Böhm, (1994), "On the Use of LUDI to Search the Fine Chemicals Directory for Ligands of Proteins of Known Three-Dimensional Structure," <u>J. Comput. Aided Mol. Des.</u> , 8:623-32.
	C272	Böhm, (1994), "The Development of a Simple Empirical Scoring Function to Estimate the Binding Constant for a Protein-Ligand Complex of Known Three-Dimensional Structure," J. Comput. Aided Mol. Des., 8(3):243-56.
	C273	Böhm, (1998), "Prediction of Binding Constants of Protein Ligands: A Fast Method for the Prioritization of Hits Obtained from De Novo Design or 3D Database Search Programs," J. Comput. Aided Mol. Des., 12(4):309-23.
	C274	Boshart et al., (1985), "A Very Strong Enhancer is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," Cell, 41:521-530.
	C275	Boulianne et al., (1984), "Production of Functional Chimaeric Mouse/Human Antibody," Nature, 312:643-6.
	C276	Bourgois et al., (1974), "Determination of the Primary Structure of a Mouse IgG2a Immunoglobulin Amino Acid Sequence of the Fc Fragment: Implications for the Evolution of Immunoglobulin Structure and Function," <u>Eur. J. Biochem.</u> , 43:423-35.
	C277	Brambell et al., (1964), "A Theoretical Model of γ-Globulin Catabolism," Nature, 203:1352-55.
	C278	Brazolot Millan et al., (1998), "Cpg DNA Can Induce Strong TH1 Humoral and Cell-Mediated Immune Responses against Hepatitis B Surface Antigen in Young Mice," Proc. Natl. Acad. Sci. USA, 95:15553-8.

EXAMINER	DATE CONSIDERED	[

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855



		FILING DATE: December 16, 2003 GROUP: 1647
EXAM. INIT.	OTHER I	DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)
- ""	C279	Brekke et al., (1994), "Human IgG Isotype-Specific Amino Acid Residues Affecting Complement-Mediated Cell Lysis and Phagocytosis," Eur. J. Immunol., 24:2542-2547.
	C280	Brem et al., (1993), "The Combination of Antiangiogenic Agents to Inhibit Primary Tumor Growth and Metastasis," J. Pediatr. Surg., 28(10):1253-7.
_	C281	Brocklebank et al., (2001), "Enumeration of CD34+ Cells in Cord Blood: A Variation on a Single-Platform Flow Cytometric Method Based on the ISHAGE Gating Strategy," Cytometry, 46:254-261
	C282	Brooks et al., (1983), "CHARMM: A Program for Macromolecular Energy Minimization and Dynamics Calculations," J. Comput. Chemistry, 4:187–217.
	C283	Broudy et al., (1988), "Recombinant Human Erythropoietin: Purification and Analysis of Carbohydrate Linkage," Arch. Biochem. Biophys., 265:329-36.
	C284	Bubenik et al., (1995), "Interleukin-2 Gene Therapy of Residual EL-4 Leukaemia Potentiates the Effect of Cyclophosphamide Pretreatment," <u>J. Cancer Res. Clin. Oncol.</u> , 121:39-43.
	C285	Bumol et al., (1982), "Unique Glycoprotein-Proteoglycan Complex Defined by Monoclonal Antibody on Human Melanoma Cells," Proc. Natl. Acad. Sci. USA, 79:1245-9.
	C286	Carnemolla <i>et al.</i> , (1989), "A Tumor-Associated Fibronectin Isoform Generated by Alternative Splicing of Messenger RNA Precursors," J. Cell. Biol., 108:1139-1148.
	C287	Carnemolla et al., (1992), "The Inclusion of the Type III Repeat ED-B in the Fibronectin Molecule Generates Conformational Modifications that Unmask a Cryptic Sequence," J. Biol. Chem., 267(34):24689-24692.
	C288	Casadevall, et al., (2002) "Pure Red-Cell Aplasia and Antierythropoietin Antibodies in Patients Treated with Recombinant Erythropoietin," The New Eng. School of Medicine, 346:469-75.
	C289	Cazzola et al., (1998), "Red Blood Cell Precursor Mass as an Independent Determinant of Serum Erythropoietin Level," <u>Blood</u> , 91:2139-45.
	C290	Chan et al., (1992), "Mechanisms of IFN-γ Induction by Natural Killer Cell Stimulatory Factor (NKSF/IL-12). Role of Transcription and mRNA Stability in the Synergistic Interaction Between NKSF and IL-2," J. Immunol., 148:92-98.
	C291	Chappel et al., (1991), "Identification of the Fc Gamma Receptor Class I Binding Site In Human IgG Through Use of Recombinant IgG1/IgG2 Hybrid and Point-Mutated Antibodies," Proc. Natl. Acad. Sci. USA, 88(20):9036-40.
	C292	Cheetham, (1998), "NMR Structure of Human Erythropoietin and a Comparison with its Receptor Bound Conformation," Nat. Struct. Biol., 5:861-6.
	C293	Ciardiello et al., (1996), "Antitumor Activity of Combined Blockade of Epidermal Growth Factor Receptor and Protein Kinase A," J. Natl. Cancer Inst., 88:1770-6.
	C294	Cirulli et al., (1998), "KSA Antigen Ep-CAM Mediates Cell-Cell Adhesion of Pancreatic Epithelial Cells: Morphoregulatory Roles in Pancreatic Islet Development," J. Cell Biol., 140:1519-34.
	C295	Cohen et al., (1998), "An Artificial Cell-Cycle Inhibitor Isolated from a Combinatorial Library," Proc. Natl. Acad. Sci. USA, 95:14272-7.

ĺ	EXAMINER	DATE CONSIDERED	

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855



		FILING DATE: December 10, 2003 GROOT: 1047
EXAM. INIT.	OTHER I	DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)
	C296	Congote et al., (1984), The Erthrotropins, New Erythroid Cell Stimulate Factors Extracted From Human and Bovine Fetal Tissues," Abstract 364, "Proceedings 7 th Intl. Congress of Endocrinology," Quebec City, Quebec, July 1-7, 1984.
	C297	Congote, (1983), "Isolation of Two Biologically Active Peptides, Erythrotropin I and Erythrotropin II from Fetal Calf Intestine," <u>Biochem. Biophys. Res. Commun.</u> , 115(2):477-83.
	C298	Congote, (1984), "Extraction from Fetal Bovine Serum of Erythrotropin, an Erythroid Cell-Stimulating Factor," Anal. Biochem., 140:428-33.
	C299	Connor et al., (2004), "Ex vivo Evaluation of Anti-EpCAM Immunocytokine huKS-IL2 in Ovarian Cancer," J. Immunotherapy, 27:211-219.
	C300	Cosenza et al., (1997), "Disulfide Bond Assignment in Human Interleukin-7 by Matrix-Assisted Laser Desorption/Ionization Mass Spectroscopy and Site-Directed Cysteine to Serine Mutational Analysis," J. Biol. Chem., 272:32995-3000.
	C301	Cunningham et al., (1989), "High-Resolution Epitope Mapping of hGH-Receptor Interactions by Alanine-Scanning Mutagenesis," Science, 244:1081-85.
	C302	Curiel et al., (1991), "Adenovirus Enhancement of Transferrin-Polylysine-Mediated Gene Delivery," Proc. Natl. Acad, Sci. USA, 88:8850-4.
	C303	Dauber-Osguthorpe et al., (1988), "Structure and Energetics of Ligand Binding to Proteins: Escherichia Coli Dihydrofolate Reductase-Trimethoprim, A Drug-Receptor System," Proteins, 4:31-47.
	C304	Daugherty et al., (1991), "Polymerase Chain Reaction Facilities the Cloning, CDR-Grafting, and Rapid Expression of a Murine Monoclonal Antibody Directed Against the CD18 Component of Leukocyte Integrins," Nucleic Acid Res., 19:2471-2476.
_	C305	De Bruijn et al., (1995), "Phagocyte-Induced Antigen-Specific Activation of Unprimed CD8+ T Cells in Vitro," Eur. J. Immunol., 25:1274-85.
	C306	Delorme et al., (1992), "Role of Glycosylation on the Secretion and Biological Activity of Erythropoietin," <u>Biochemistry</u> , 31:9871-6.
	C307	Desai et al., (1992), "IL-12 Receptor. II. Distribution and Regulation of Receptor Expression," <u>J. Immunol.</u> , 148:3125-32.
	C308	Dillman et al., (1994), "Human Anti-Mouse Antibody Response in Cancer Patients Following Single Low-Dose Injections of Radiolabeled Murine Monoclonal Antibodies," Cancer Biotherapy, 9:17-28.
	C309	Donnelly et al., (1993), "Targeted Delivery of Peptide Epitopes to Class I Major Histocompatibility Molecules by a Modified Pseudomonas Exotoxin," Proc. Natl. Acad. Sci. USA, 90:3530-4.
	C310	Donnelly et al., (1997), "DNA Vaccines," Annu. Rev. Immunol., 15:617-48.
	C311	Dube et al., (1988), "Glycosylation at Specific Sites of Erythropoietin is Essential for Biosynthesis, Secretion, and Biological Function," J. Biol. Chem., 263:17516-21.
	C312	Ellison et al., (1982), "The Nucleotide Sequence of a Human Immunoglobulin C γ ₁ Gene," <u>Nucleic Acids</u> Res., 10:4071-9.

EXAMINER	DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855

L		FILING DATE: December 10, 2003 GROUP: 1647
EXAM. INIT.	OTHER I	OOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)
	C313	Faas et al., (1993), "Phenotypically Diverse Mouse Thymic Stromal Cell Lines which Induce Proliferation and Differentiation Of Hematopoietic Cells," Eur, J. Immunol., 23:1201-14.
	C314	Farner et al., (1995), "Distinction Between γ _c C Detection and Function in YT Lymphoid Cells and in the Granulocyte-Macrophage Colony-Stimulating Factor-Responsive Human Myeloid Cell Line, Tf-1," Blood, 86:4568-78.
	C315	Fawell et al., (1994), "Tat-Mediated Delivery of Heterologous Proteins into Cells," Proc. Natl. Acad. Sci. USA, 91:664-8.
:	C316	Fu et al., (1993), "The Sheep Erythropoietin Gene: Molecular Cloning and Effect of Hemorrhage on Plasma Erythropoietin and Renal/Liver Messenger RNA in Adult Sheep," Mol. Cell. Endocrinol., 93:107-16.
	C317	Gainsford et al., (1996), "Leptin Can Induce Proliferation, Differentiation, and Functional Activation of Hemopoietic Cells," Proc. Natl. Acad. Sci. USA, 93:14564-14568.
	C318	Gammon et al., (1992), "Endogenous Loading of HLA-A2 Molecules with an Analog of the Influenza Virus Matrix Protein-Derived Peptide and Its Inhibition By An Exogenous Peptide Antagonist," J. Immunol., 148:7-12.
	C319	Ghetie et al., (1990), "Disseminated or Localized Growth of a Human B-Cell Tumor (Daudi) in SCID Mice," Intl. J. Cancer, 45:485.
	C320	Ghetie et al., (1997), "FcRn: The MHC Class I-Related Receptor that is More Than an IgG Transporter," https://limmunology.org/ , 18(12):592-598.
	C321	Goldwasser et al., (1971), "Purification of Erythropoietin," Proc. Natl. Acad. Sci. USA, 68:697-8.
	C322	Goldwasser et al., (1975), "Erythropoeitin: Assay and Study of its Mode of Action," Methods Enzymol., 37(PtB):109-21.
	C323	Gurewich et al., (1988), "Characterization of the Intrinsic Fibrinolytic Properties of Pro-Urokinase Through a Study of Plasmin-Resistant Mutant Forms Produced by Site-Specific Mutagenesis of Lysine," J. Clin. Invest., 82:1956-1962.
	C324	Halin et al., (2002), "Enhancement of the Antitumor Activity of Interleukin-12 by Targeted Delivery to Neovasculature," Nature Biotechnology, 20:264-269.
	C325	Handgretinger et al., "Immunological Aspects of Haploidentical Stem Cell Transplantation in Children," Annals New York Academy of Sciences, 340-(Date not known).
	C326	Hashimoto et al., (1999), "Differential Antitumor Effects of Administration of Recombinant IL-18 or Recombinant IL-12 are Mediated Primarily by Fas-Fas Ligand- and Perforin-Induced Tumor Apoptosis, Respectively," J. Immunol., 163:583-9.
	C327	Henikoff et al., (1992), "Amino Acid Substitution Matrices from Protein Blocks," Proc. Natl. Acad. Sci. USA, 89:10915-10919.
	C328	Hilgers et al., (1999), "Sulfolipo-Cyclodextrin in Squalane-In-Water as a Novel and Safe Vaccine Adjuvant," Vaccine, 17:219-28.
	C329	Hori et al., (1987), "Establishment of an Interleukin 2-Dependent Human T Cell Line from a Patient with T Cell Chronic Lymphocytic Leukemia Who is Not Infected with Human T Cell Leukemia/Lymphoma Virus," <u>Blood</u> , 70:1069-72.

ı		-		
	EXAMINER		DATE CONSIDERED	



SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855



EXAM. INIT.	OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)		
	C330	Hulett et al., (1994), "Molecular Basis of Fc Receptor Function," Adv. Immunol., 57:1127.	
	C331	Huston et al., (1988), "Protein Engineering of Antibody Binding Sites: Recovery of Specific Activity in an Anti-Digoxin Single-Chain Fv Analogue Produced In Escherichia Coli," Proc. Natl. Acad. Sci. USA, 85:5879-5883.	
	C332	Investigator's Brochure 2004, Pages 6-10, 34 and 35.	
	C333	Jacobs et al., (1985), "Isolation and Characterization of Genomic And cDNA Clones of Human Erythropoietin," Nature, 313:806-10.	
	C334	Jefferis et al., (1990), "Molcular Definition of Interaction Sites on Human IgG for Fc Receptors huFcyR," Mol. Immunol., 27(12):1237-1240.	
	C335	Karlin et al., (1990), "Methods for Assessing the Statistical Significance of Molecular Sequence Features by Using General Scoring Schemes," Proc. Natl. Acad. Sci. USA, 87:2264-8.	
	C336	Karlin et al., (1993), "Applications and Statistics for Multiple High-Scoring Segments in Molecular Sequences," Proc. Natl. Acad. Sci. USA, 90:5873-7.	
	C337	Karpusas et al., (1997), "The Crystal Structure of Human Interferon β at 2.2-A Resolution," Proc. Natl. Acad. Sci. USA, 94:11813-11818.	
	C338	Kelner et al., (1994), "Lymphotactin: A Cytokine that Represents a New Class of Chemokine," Science, 266:1395-9.	
	C339	Kirkman et al., (1989), "Prolongation of Cardiac Allograft Survival in Murine Recipients Treated with a Diphtheria Toxin-Related Interleukin-2 Fusion Protein," <u>Transplantation</u> , 47(2):327-330.	
	C340	King et al., (2004), "Phase I Clinical Trial of the Immunocytokine EMD 273063 in Melanoma Patients," J. Clin. Oncol., 22(22):4463-73.	
	C341	Klinman et al., (1997), "Contribution of CpG Motifs to the Immunogenicity of DNA Vaccines," <u>J. Immunol.</u> , 158:3635-9.	
	C342 Ko et al., (2004), "Safety, Pharmacokinetics, and Biological Pharmacodynamics of the Immunocyto EMD 273066 (huKS-IL2)," <u>J. Immunotherapy</u> , 27:232-239. C343 Kuntz et al., (1982), "A Geometric Approach to Macromolecule-Ligand Interactions," <u>J. Mol. Biol.</u> , 161:269-88. C344 Kurtz, (1982), "A New Candidate for the Regulation of Erythropoiesis. Insulin-Like Growth Factor <u>FEBLAL</u> , 149(1):105-8.		
	C345	Lai et al., (1986), "Structural Characterization of Human Erythropoietin," J. Biol. Chem., 261:3116-21.	
	C346	Lai et al., (1998), "DNA Vaccines," Crit. Rev. Immunol., 18:449-84.	
	C347	Lanza et al., (1993), "Active Immunity against the CD4 Receptor by Using an Antibody Antigenized with Residues 41-55 of the First Extracellular Domain," Proc. Natl. Acad. Sci. USA, 90:11683-7.	
	C348	Lawn et al., (1981), "DNA Sequence of a Major Human Leukocyte Interferon Gene," Proc. Natl. Acad. Sci. USA, 78:5435-9.	

EXAMINER	DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT


ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208 CONF. NO.: 6855

EXAM. INIT.	OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)			
	C349	Lin et al., (1985), "Cloning and Expression of the Human Erythropoietin Gene," Proc. Natl. Acad. Sci. USA, 82:7580-4.		
	C350	Lin et al., (1986), "Monkey Erythropoietin Gene: Cloning, Expression and Comparison with the Human Erythropoietin Gene," Gene, 44:201-9.		
	C351	Lode et al., (1998), "Gene Therapy with a Single Chain Interleukin 12 Fusion Protein Induces T Cell-Dependent Protective Immunity in a Syngeneic Model of Murine Neuroblastoma," Proc. Natl. Acad, Sci. USA, 95:2475-80.		
	C352	Lorenz et al., (1999), "Induction of Anti-Tumor Immunity Elicited by Tumor Cells Expressing a Murine LFA-3 Analog Via a Recombinant Vaccinia Virus," <u>Hum. Gene Ther.</u> , 10:623-31.		
	C353	Lotze et al., (1996), "Cytokine Gene Therapy of Cancer Using Interleukin-12: Murine and Clinical Trials," Ann. NY Acad. Sci., 795:440-54.		
	C354	Macdougall, et al., (2002), "Optimizing the Use of Erythropoietic Agents – Pharmacokinetic and Pharmacodynamic Considerations," Nephol, Dial. Transplant, 17(5):66-70.		
	C355	MacLean et al., (1996), "Enhancing the Effect of Theratope STn-KLH Cancer Vaccine in Patients with Metastatic Breast Cancer by Pretreatment with Low-Dose Intravenous Cyclophosphamide," <u>J. Immunother.</u> , 19(4):309-316.		
	C356	Maghazachi et al., (1997), "Interferon-Inducible Protein-10 and Lymphotactin Induce the Chemotaxis and Mobilization of Intracellular Calcium in Natural Killer Cells through Pertussis Toxin-Sensitive and Insensitive Heterotrimeric G-Proteins," FASEB J., 11:765-74.		
	C357	Maloy et al., (2001), "Regulatory T Cells in the Control of Immune Pathology," 2(9):816-822.		
_	C358	Mariani et al., (1997), "Tumor Targeting Potential of the Monoclonal Antibody BC-1 against Oncofetal Fibronectin in Nude Mice Bearing Human Tumor Implants," Cancer, 80:2378-84.		
	C359	Marshall et al., (1994), "Role of the Polymorphic Residues in HLA-DR Molecules in Allele-Specific Binding of Peptide Ligands," J. Immunol., 152:4946-57.		
	C360	Marshall et al., (1995), "Prediction of Peptide Affinity to HLA-DR Molecules," <u>Biomed. Pept. Proteins Nucleic Acids</u> , 1(3):157-62.		
	C361	Martin et al., (2001), "Crystal Structure at 2.8 A of an FcRn/Heterodimeric Fc Complex: Mechanism of pH-Dependent Binding," Molecular Cell, 7:867-877.		
	C362	McDonald, (1986), "Cloning, Sequencing, and Evolutionary Analysis of the Mouse Erythropoietin Gene," Mol. Cell. Biol., 6:842-8.		
	C363	McGonigle et al., (1984), "Erythropoietin Deficiency and Inhibition of Erythropoiesis in Renal Insufficiency," Kidney Int., 25(2):437-44.		
	C364	McMahan et al., (1991), "A Novel IL-1 Receptor, Cloned From B-Cells by Mammalian Expression is Expressed in Many Cell Types," EMBO J., 10:2821-32.		
	C365	McMahon et al., (1990), "Pharmacokinetics and Effects of Recombinant Human Erythropoietin after Intravenous and Subcutaneous Injections in Healthy Volunteers," <u>Blood</u> , 76:1718-22		

- 1		
1	EXAMINER	DATE CONSIDERED
-1		



ATTORNEY DOCKET NO.: LEX-023

FORM PTO - 1449		,	ATTORNEY DOCKET NO.: LEX-U.	23	
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT			APPLICANT(S): Gillies et al.		
			SERIAL NO.: 10/737,208	CONF. NO.: 6855	9(O)~
			FILING DATE: December 16, 2003	GROUP: 1647	
EXAM. INIT.	OTHER	DOCUMENTS: (Including Author, Tit	le, Date, Relevant Pages, Place of Publ	lication)	
	C366	Mehrotra et al., (1993), "Effects of IL- Lymphocytes," J. Immunol., 151:2444	12 on the Generation of Cytotoxic Activ-52.	ity in Human CD8+ T	
	C367	Menard et al., (1983), "Generation of I Human Breast," <u>Cancer Res.</u> , 43:1295	Monoclonal Antibodies Reacting with No. 300.	ormal and Cancer Cell	s of
	C368	Miyake et al., (1977), "Purification of	Human Erythropoietin," J. Biol. Chem.,	252:5558-64.	
	C369		ecombinant Human Single-Chain Urokin n and Thrombin," <u>J. Biochem.</u> , 104:643-		1
-	C370	Morrison et al., (1984), "Chimeric Hur Human Constant Region Domains," Pr	nan Antibody Molecules: Mouse Antiger oc. Natl. Acad. Sci. USA, 81:6851-5.	n-Binding Domains w	ith
	C371	Nagao et al., (1992), "Nucleotide Sequ 102.	ence of Rat Erythropoietin," <u>Biochim. B</u>	iophys. Acta, 1171(1)	:99-
	C372	•	of Cellular Cytotoxicity Mediated by a Falanoma Cells," <u>Immunology Letters</u> , 39:	-	<i>/</i> -
	C373	Nastala et al., (1994), "Recombinant IL-12 Administration Induces Tumor Regression in Association with IFN-γ Production," J. Immunol., 153:1697-706.			
	C374	Naughton et al., (1983), "Evidence for Hepatic Disease," Acta. Haemat., 69:1"	an Erythropoletin-Stimulating Factor in 171-9.	Patients with Renal an	d :
	C375		of Hu14.18-IL2 Immunocytokine against terleukin-2 Therapy," Clin. Cancer. Res		
	C376	1	of Recombinant Human Single Chain Un I by Site-Specific Mutagenesis of Lysine		
-	C377	Noguchi <i>et al.</i> , (1994), "A Mouse Muta Natl. Acad. Sci. USA, 91:3171-5.	nnt P53 Product Recognized by CD4+ and	d CD8+ T Cells," Proc	<u>.</u>
	C378	Orlandi et al., (1989), "Cloning Immun Chain Reaction," Proc. Natl. Acad. Sci.	oglobulin Variable Domains for Express USA, 86:3833-7.	ion by the Polymerase	
	C379	Palmer et al., (2001), "Phase I Study of the BLP 25 (MUC1 Peptide) Liposomal Vaccine for Active Specific Immunotherapy in Stage IIIB/IV Non-Small-Cell Lung Cancer," Clinical Lung Cancer, 3(1):49-57.		49-	
	C380	Palucka et al., (1998), "Dendritic Cells 160:4587-95.	as the Terminal Stage of Monocyte Diffe	erentiation," <u>J. Immun</u>	ol.,
	C381	•	ersally Immunogenic T Cell Epitopes: Pr Recognition by T Cells," Eur. J. Immun	•	
	C382		s of Prostaglandin Synthetase Inhibitors, xia Stimulated Erythropoietin Production		ot.,

EXAMINER	DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855

|--|


			FILING DATE: December 16, 2003 GROUP: 1647	
EXAM. INIT.	OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)			
	C383 Pedley et al. (1999), "Enhancement of Antibody-Directed Enzyme Prodrug Therapy in Colorectal Xenografts by an Antivascular Agent," Cancer Res., 59:3998-4003.			
	C384	Perussia <i>et al.</i> , (1992), "Natural Killer (NK) Cell Stimulatory Factor or IL-12 Has Differential Effects on the Proliferation of TCR-αβ+, TCR-γδ+ T Lymphocytes, and NK Cells," J. Immunol., 149:3495-502.		
	C385	Pluschke et al., (1996), "Molecular Cloning of a Human Melanoma-Associated Chondroitin Sulfate Proteoglycan," Proc. Natl. Acad. Sci. USA, 93:9710-5.		
	C386	Poon et al., (1995), "Structure and Function of Several Anti-Dansyl Chimeric Antibodies Formed by Domain Interchanges Between Human IgM and Mouse IgG2b," J. Biol. Chem., 270:8571-7.		
	C387	Queen et al., (1989), "A Humanized A. Acad. Sci. USA, 86:10029-33.	ntibody that Binds to the Interleukin 2 Receptor," Proc. Natl.	
	C388	Radhakrishnan et al., (1996), "Zinc Me Crystallography," <u>Structure</u> 4(12):1453	ediated Dimer of Human Interferon- α_{2b} Revealed by X-Ray 1-63.	
	C389	Ramachandran et al., (1968)"Conforma 294.	ation of Polypeptides and Proteins," Adv. Prot. Chem., 23:283-	
	C390	Rarey et al., (1995), "Time-Efficient Docking of Flexible Ligands into Active Sites Of Proteins," Proc. Int. Conf. Intell, Syst. Mol. Biol. 3:300-8.		
	C391	Resegotti et al., (1981), "Treatment of Aplastic Anaemia with Methenolone, Stanozolol and Nandrolone. A Report of 130 Cases," Pan. Med., 23:243-8.		
	C392	Riechmann et al., (1988), "Reshaping Human Antibodies for Therapy," Nature, 332:323-7.		
	C393	Robinson et al., (1998), "Optimizing the Stability of Single-Chain Proteins by Linker Length and Composition Mutagenesis," Proc. Natl. Acad. Sci. USA, 95:5929-34.		
	C394	Rothmann et al., (1982), "Erythropoietin-Dependent Erythrocytosis associated with Hepatic Angiosarcoma," J. Surg. Oncol., 20:105-8.		
	C395	Runkel et al., (1998), "Structural and Functional Differences Between Glycosylated and Non-Glycosylated Forms of Human Interferon-B (IFN-B)," Pharmaceutical Res., 15:641-649.		
	C396	Sakano et al., (1980), "Two Types of Somatic Recombination are Necessary for the Generation of Complete Immunoglobin Heavy-Chain Genes," Nature, 286:676-683.		
	C397	Săli et al., (1993), "Comparative Protein Modelling by Satisfaction of Spatial Restraints," J. Mol. Biol., 234:779-815.		
	C398	Schecter et al., (1997), "Tissue Factor is Induced by Monocyte Chemoattractant Protein-1 in Human Aortic Smooth Muscle And THP-1 Cells," J. Biol, Chem., 272:28568-73.		
	C399	Senior et al., (2000), "Cleavage of a Recombinant Human Immunoglobulin A2 (igA2)-IgA1 Hybrid Antibody by Certain Bacterial IgA1 Proteases," Infect. Immun., 68(2):463-9.		
C400 Sharp et al., (1988), "Codon Usage Patterns in Escherichia coli, Bacillus subtilis, Sacc cerevisiae, Schizosaccharomyces pombe, Drosophila melanogaster and Homo sapiens." Consdierable Within-Species Diversity," Nucleic Acids Res., 16(17):8207-8211.		e, Drosophila melanogaster and Homo sapiens; a Review of the		
EXAMINI	ER		DATE CONSIDERED	

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208



		FILING DATE: December 16, 2003 GROUP: 1647		
EXAM. INIT.	OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)			
	C401	Simonsen et al., (1983), "Isolation and Expression of an Altered Mouse Dihydrofolate Reductase cDNA, Proc. Natl. Acad. Sci. USA, 80:2495-2499.		
	C402	Smith et al., (1981), "Identification of Common Molecular Subsequences," J. Mol. Biol., 147:195-197.		
	C403	Soligo et al., (1998), "Expansion of Dendritic Cells Derived from Human CD34+ Cells in Static And Continuous Perfusion Cultures," <u>Br. J. Haematol.</u> , 101:352-63.		
	C404	Spivak et al., (1989), "The In Vivo Metabolism of Recombinant Human Erythropoietin in The Rat," Blood, 73:90-9.		
	C405	Sturniolo et al., (1999), "Generation of Tissue-Specific and Promiscuous HLA Ligand Databases Using DNA Microarrays and Virtual HLA Class II Matrices," Nat. Biotech., 17(6):555-61.		
	C406	Suliman et al., (1996), "Cloning of a cDNA Encoding Bovine Erythropoietin and Analysis of Its Transcription in Selected Tissues," Gene, 171:275-80.		
C407 Takahashi et al., (2000), "Immunologic Self-Tolerance Maintained by CD25+ CD4+		Takahashi et al., (2000), "Immunologic Self-Tolerance Maintained by CD25+ CD4+ Regulatory T Cells Constitutively Expressing Cytotoxic T Lymphocyte-Associated Antigen 4," J. Exp. Med., 192(2):303-309.		
	C408	Takai, (2002), "Roles of Fc Receptors in Autoimmunity," Nature, 2:580-592.		
	C409	Taniguchi et al., (1980), "Expression of the Human Fibroblast Interferon Gene in Escherichia Coli," Proc. Natl. Acad. Sci. USA, 77:5230-5233.		
	C410	Thurner, (1999), "Generation of Large Numbers of Fully Mature and Stable Dendritic Cells from Leukapheresis Products for Clinical Application," J. Immunol. Methods, 223:1-15.		
	C411	Tiruppathi et al., (1996), "Isolation and Characterization of a Cell Surface Albumin-Binding Protein from Vascular Endothelial Cells," Proc. Nat. Acad. Sci. USA, 93:250-4.		
	C412	Van Den Eynde et al., (1989), "Presence on a Human Melanoma of Multiple Antigens Recognized By Autologous CTL," Int. J. Cancer, 44:634-40.		
	C413	Van Der Bruggen et al., (1991), "A Gene Encoding an Antigen Recognized by Cytolytic T Lymphocytes on a Human Melanoma," Science, 254:1643-7.		
	C414	Van Heyningen et al., (1982), "Human MHC Class II Molecules as Differentiation Markers," <u>Immunogenetics</u> , 16:459-69.		
	C415	Voest et al., (1995), "Inhibition of Angiogenesis in Vivo by Interleukin 12," J. Natl. Canc. Inst., 87:581-6.		
	C416	Von Heijne et al., (1986), "A New Method for Predicting Signal Sequence Cleavage Sites," <u>Nucleic Acid Res.</u> , 14:4683-4690.		
	C417	Ward et al., (1995), "The Effector Functions of Immunoglobulins: Implications for Therapy," Therapeutic. Immunology, 2:77-94.		
	C418	Watson et al., (1984), "Compilation of Published Signal Sequences," Nucleic Acid Res., 12:5145-5164.		

EXAMINER	DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855/

FILING DATE: December 16, 2003 GROUP: 1647



EXAM. INIT.	OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)			
	C419	Weitkamp et al., (1973), "Additional Data on the Population Distribution of Human Serum Albumin Genes; Three New Variants," Ann. Hum. Genet., 37:219-26.		
	C420	Wetzel et al., (2001), "BAY50-4798, an Interleukin-2 (IL-2) Variant, Demonstrates Selective Activation of Human and Chimpanzee T Cells Relative to NK Cells but Shows Less Selectivity for T Cells from Monkeys and Rodents," 2001 ASCO Annual Meeting.		
	C421	Woof et al., (1986), "Localisation of the Monocyte-Binding Region on Human Immunoglobulin G," Mol. Immunol., 23:319-30.		
	C422	Wyatt et al., (1998), "The Antigenic Structure of the HIV gp120 Envelope Glycoprotein," Nature, 393:705-11.		
	C423	Wysocka et al., (1995), "Interleukin-12 is Required for Interferon-γ Production and Lethality in Lipopolysaccharide-Induced Shock in Mice," <u>Eur. J. Immunol.</u> , 25:672-6.		
	C424	Yan et al., (1996), "Characterization of an Ig VH Idiotope that Results in Specific Homophilic Binding and Increased Avidity for Antigen," <u>J. Immunol.</u> , 157:1582-8.		
	C425	Yeh et al., (1992), "Design of Yeast-Secreted Albumin Derivatives for Human Therapy: Biological and Antiviral Properties of a Serum Albumin-CD4 Genetic Conjugate," Proc. Natl. Acad. Sci. USA , 89:1904-8.		
	C426	Zhang et al., (1994), "Structure/Activity Analysis of Human Monocyte Chemoattractant Protein-1 (MCP-1) by Mutagenesis," J. Biol. Chem., 269:15918-24.		
	C427	Zhu et al., (2001), "MHC Class I-Related Neonatal Fc Receptor for IgG Is Functionally Expressed in Monocytes, Intestinal Macrophages, and Dendritic Cells," J. Immunol., 166:3266-3276.		
	C428	Zuckier et al., (1998), "Chimeric Human-Mouse IgG Antibodies with Shuffled Constant Region Exons Demonstrate that Multiple Domains Contribute to In Vivo Half-Life," Cancer Res., 58(17):3905-8.		

844634

EXAMINER	DATE CONSIDERED